# Inner linings for rainwater harvesting

Application

When old heating oil storage tanks are taken out of service, for example due to corrosion, or if the heating system is converted to other types of fuel, the existing tanks can be used to collect rainwater. For integration into a rainwater harvesting system, the tank is cleaned and then fitted with a special inner lining suitable for water. The old, standardised manhole cover (Ø 500 mm) is replaced with a plastic cover specially designed for rainwater harvesting.

Description

Plastic inner linings for rainwater tanks. For hygienic sealing of cylindrical or rectangular tanks to be used in rainwater harvesting systems. Please enquire for inner linings for spherical tanks, cisterns, cesspits and other containers. It is advisable to install a vacuum type leak detector, but this is not mandatory in the case of cylindrical tanks.

3

Inner lining for rainwater for cylindrical tanks *

DG: H, PG: 1	Part no.	Price €
3,000 l	43887.003	
5,000 l	43887.005	
7,000 l	43887.007	
10,000 l	43887.010	
13,000 l	43887.013	
15,000 l	43887.015	
16,000 l	43887.016	
20,000 l	43887.020	
25,000 l	43887.025	
30,000 l	43887.030	
40,000 l	43887.040	
50,000 l	43887.050	
60,000 l	43887.060	
80,000 l	43887.080	
100,000 l	43887.100	

* Scope of delivery does not include accessories.

Other tanks, cisterns, cesspits, etc. can also be sealed and converted to hygienic storage facilities by means of internal linings. Please enquire.

Inner lining for rainwater for rectangular tanks *

DG: H, PG: 1	Part no.	Price €
3,000 l	43888.003	
4,000 l	43888.004	
5,000 l	43888.005	
6,000 l	43888.006	
7,000 l	43888.007	
8,000 l	43888.008	
9,000 l	43888.009	
10,000 l	43888.010	
11,000 l	43888.011	
12,000 l	43888.012	
13,000 l	43888.013	
14,000 l	43888.014	
15,000 l	43888.015	
16,000 l	43888.016	
17,000 l	43888.017	
18,000 l	43888.018	
19,000 l	43888.019	
20,000 l	43888.020	

* Scope of delivery does not include accessories.